

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 2/15/2023 Revision date: 7/27/2023 Supersedes: 9/4/2018 Version: 4.1

## **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Syngard Dexron VI Mercon LV ATF Product name

Product code 594911, 501940S

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Lubricating Oil

#### 1.3. Supplier

Martin Lubricants 484 East 6th St. Smackover, AR 71762

## 1.4. Emergency telephone number

: CHEMTREC (800) 424-9300 **Emergency number** 

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

## **GHS US classification**

Acute toxicity (inhalation:dust,mist) Category 4

Full text of H-statements: see section 16

H332

Harmful if inhaled.

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labelling**

Hazard pictograms (GHS US)



Signal word (GHS US) Warning

Hazard statements (GHS US) H332 - Harmful if inhaled.

Precautionary statements (GHS US) P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 - Use only outdoors or in a well-ventilated area.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell.

#### 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixtures

Name	Product identifier	%
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	CAS-No.: 72623-87-1	≥ 70
Distillates (petroleum), hydrotreated light paraffinic	CAS-No.: 64742-55-8	1.004 – 2.008
Methacrylate Copolymer	CAS-No.: Trade Secret	1.104 – 1.807
Distillates, hydrotreated heavy paraffinic	CAS-No.: 64742-54-7	1.004 – 1.506
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	CAS-No.: 72623-86-0	1.004 – 1.506

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor

if you feel unwell.

First-aid measures after skin contact Wash skin with plenty of water. First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

US - en 7/27/2023 (Revision date) 2/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid

breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Syngard Dexron VI Mercon LV ATF**

No additional information available

#### Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)

No additional information available

#### **Methacrylate Copolymer (Trade Secret)**

No additional information available

## Distillates, hydrotreated heavy paraffinic (64742-54-7)

No additional information available

#### Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

No additional information available

#### Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

7/27/2023 (Revision date) US - en 3/9

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### Personal protective equipment symbol(s):







## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Red, clear liquid.

Colour : Red

Odour : Slight petroleum; Hydrocarbon

Odour threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : 200 °C (382°F) Relative evaporation rate (butylacetate=1) : Negligible at STP

Flammability (solid, gas) : Flash point at or above 200°F/93°C

Not applicable.

: Negligible at STP

Vapour pressure : Negligible at ST
Relative vapour density at 20 °C : > 1 at STP
Relative density : 0.84
Density : 7.05 lb/gal

Solubility : Material nearly insoluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Viscosity, kinematic :  $28.33 \text{ mm}^2\text{/s}$  at  $40 \,^{\circ}\text{C}$ ,  $5.88 \, \text{cSt}$  at  $100 \,^{\circ}\text{C}$ 

Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

## 9.2. Other information

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled

Acute toxicity (illinatation)	. Harrillur il Illinaieu.	
Syngard Dexron VI Mercon LV ATF		
ATE US (dust,mist)	2.333 mg/l/4h	
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID	
LC50 Inhalation - Rat (Dust/Mist)	2.18 mg/l Source: IUCLID	
ATE US (dust,mist)	2.18 mg/l/4h	
ATE US (dust,mist)  Distillates, hydrotreated heavy paraffinic (6)		
Distillates, hydrotreated heavy paraffinic (6	64742-54-7)	
Distillates, hydrotreated heavy paraffinic (6 LD50 oral rat	54742-54-7)  > 15000 mg/kg Source: IUCLID  > 5000 mg/kg Source: IUCLID	
Distillates, hydrotreated heavy paraffinic (6 LD50 oral rat LD50 dermal rabbit	54742-54-7)  > 15000 mg/kg Source: IUCLID  > 5000 mg/kg Source: IUCLID	
Distillates, hydrotreated heavy paraffinic (6) LD50 oral rat LD50 dermal rabbit Lubricating oils (petroleum), C15-30, hydro	> 15000 mg/kg Source: IUCLID > 5000 mg/kg Source: IUCLID  otreated neutral oil-based (72623-86-0)	
Distillates, hydrotreated heavy paraffinic (6) LD50 oral rat LD50 dermal rabbit  Lubricating oils (petroleum), C15-30, hydro LD50 oral rat	> 15000 mg/kg Source: IUCLID  > 5000 mg/kg Source: IUCLID  otreated neutral oil-based (72623-86-0)  > 5000 mg/kg Source: IUCLID	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LD50 oral rat	> 5000 mg/kg Source: IUCLID	
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID	
LC50 Inhalation - Rat (Dust/Mist)	2.18 mg/l Source: IUCLID	
ATE US (dust,mist)	2.18 mg/l/4h	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified.	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
Aspiration hazard :	Not classified	
Viscosity, kinematic :	28.33 mm²/s at 40 °C, 5.88 cSt at 100 °C	
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)		
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C' Parameter: 'mm²/smm2/s '	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Viscosity, kinematic	120 mm²/s @ 100 C	
Hydrocarbon	Yes	

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)		
LC50 - Fish [1]	> 5000 mg/l Source: IUCLID	
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID	
Distillates, hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 5000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID	
EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
LC50 - Fish [1]	> 5000 mg/l Source: IUCLID	
EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LC50 - Fish [1]	> 5000 mg/l Source: IUCLID	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

EC50 - Crustacea [1] > 1000 mg/l Source: IUCLID

## 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

#### Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

## Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

#### Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA	
14.1. UN number	14.1. UN number			
Not regulated for transport	Not regulated for transport			
14.2. Proper Shipping Name				
Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
No supplementary information availab	ole		

#### 14.6. Special precautions for user

#### DOT

Not regulated

## TDG

Not regulated

#### IMDO

Not regulated

#### IATA

Not regulated

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1	Present	Active	
Methacrylate Copolymer	Trade Secret	Not present	-	
Distillates, hydrotreated heavy paraffinic	64742-54-7	Present	Active	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	Present	Active	
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Present	Active	

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

#### CANADA

## Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based (72623-87-1)

Listed on the Canadian DSL (Domestic Substances List)

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

## Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on the Canadian DSL (Domestic Substances List)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### Distillates, hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations



This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Distillates (petroleum), hydrotreated light paraffinic(64742-55-8)	U.S Massachusetts - Right To Know List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/27/2023


H332 Harmful if inhaled.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant

irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



#### Safety Data Sheet (SDS), USA

Information provided in this Safety Data Sheet is considered accurate and reliable based on information issued from internal and outside sources to the best of Martin Operating Partnership L.P.'s knowledge; however, Martin Operating Partnership L.P. makes no representations, guarantees or warranties, expressed or implied, of merchantability or fitness for the particular purpose, regarding the accuracy of such information or the result to be obtained from the use thereof or as to the sufficiency of information herein presented. Martin Operating Partnership L.P. assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Martin Operating Partnership L.P., must rely upon information provided by the material manufacturers or distributors.

7/27/2023 (Revision date) US - en 9/9